



The Legacy Companies
3355 Enterprise Avenue, Suite 160, Fort Lauderdale, FL 33331
Sales: (954) 202-7419 • Sales@TheLegacyCompanies.com
Tech Service: (877) 368-2797 • Service@MaxxHelp.com

Project Name: _____
Location: _____
Item #: _____ Qty: _____
Model: _____

www.MaxximimumFoodService.com

SELF CONTAINED ICE MAKERS (w/ Integrated Ice Bin)

Model: ☐ MIM250

☐ MIM265H

International Model: Add -50 (220V/50Hz/1Ph)
or -60 (220V/60Hz/1Ph)



MIM250
Full Dice Ice Cubes
Inches: 1 1/16 x 7/8 x 7/8
mm: 18 x 22 x 22



MIM265H
Half Dice Ice Cubes
Inches: 1/2 x 7/8 x 7/8
mm: 13 x 22 x 22 mm

Self contained air cooled ice maker. For freestanding or built in, undercounter applications. Can produce up to 275 pounds of ice per day (under the right conditions). Includes a self-contained 75 pound storage bin. Stainless steel construction provides a durable, reliable ice maker that is low-maintenance and easy to clean. Front breathing design. Vertical evaporator and proven ice making technology delivers years of reliable ice production.

ICE PRODUCTION

Air Temp 70°F (21°C) Water Temp 50°F (10°C)

Daily Ice Production:

MIM250: 260 lbs (118kg)
MIM265H: 265 lbs (118kg)

Air Temp 90°F (32°C) Water Temp 70°F (21°C)

Daily Ice Production:

MIM250: 210 lbs (95kg)
MIM265H: 210 lbs (95kg)

Storage Bin holds 75lbs of ice with automatic overflow prevention
Gravity drain line with is required to install this ice maker

OPERATING REQUIREMENTS

Ambient Temp Range	50° to 99°F (10° to 37°C)
Water Temp Range	40° to 90°F (4° to 32°C)
Water Usage 100lbs (45.4kg) of Ice	13.3 Gallons (50L)
Water Supply Line Connection	3/8" FPT
Water Pressure Range	
Min PSI 15	Max PSI 80 (above 80 requires a regulator)
Min Bar 1.0	Max Bar 5.5
Energy Consumption: 9.3 kWh/100 lb of ice at 90°F air / 70°F water	

REFRIGERANT

- CFC & HCFC free R-404A

ELECTRIC

120V/60Hz/1 Ph (NEMA 5-15P)
(220V/50 or 60Hz/1ph available as an option)



FEATURES and CONSTRUCTION

- Exterior Material: Stainless Steel with Black Trim
- Air Cooled Compressor
- Programmable, solid state, digital electronic control system.
- Built-In Self Cleaning Mode
- Includes Scoop
- Includes 6' (2m) long NEMA 5-15 cord set for simple installation

* Water Filter Recommended



Maxx Ice WARRANTY (USA / CANADA)

Three (3) years parts
Three (3) years on-site labor
Five (5) years compressor (part only)
Administered by The Legacy Companies, 877.368.2797

Due to periodic changes in designs, methods, procedures, policies and regulations, the specifications contained in this sheet are subject to change without notice. While we exercise good faith efforts to provide information that is accurate, we are not responsible for errors or omissions in information provided or conclusions reached as a result of using the specifications. By using the information provided, the user assumes all risks in connection with such use.

The built in performance enhancing functions ensure that given proper attention and preventative maintenance, each Maxx Product will deliver years of trouble free, reliable, low maintenance, efficient operation.

2/20/18 D



The Legacy Companies

3355 Enterprise Avenue, Suite 160, Fort Lauderdale, FL 33331

Sales: (954) 202-7419 • Sales@TheLegacyCompanies.com

Tech Service: (877) 368-2797 • Service@MaxxHelp.com

Project Name: _____


Location: _____

Item #: _____ Qty: _____


Model: _____

www.MaxximumFoodService.com


SELF CONTAINED ICE MAKERS (w/ Integrated Ice Bin)




Top View




Front View



Side View



Back View



	MIM250 & MIM265H
In: External Dimensions W x D x H	24 x 24 x 39
mm: External Dimensions W x D x H	610 x 610 x 991
Peak Amp Draw	12 max (normal or nominal draw 10.4 amps)
Unit Weight	144 lb / 65 kg
Shipping Weight	160 lb / 72.5 kg
Standard Electrical Connection	NEMA 5-15 Outlet / 6' Cord Set Included
Finish	Stainless Steel / Black Trim

Due to periodic changes in designs, methods, procedures, policies and regulations, the specifications contained in this sheet are subject to change without notice.

While we exercise good faith efforts to provide information that is accurate, we are not responsible for errors or omissions in information provided or conclusions reached as a result of using the specifications.

By using the information provided, the user assumes all risks in connection with such use.